

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62,91

LIBRARY  
RECEIVED

MAY 10 1946 ★

U. S. Department of Agriculture

1946

# Plant List



*Erica Vagans* Mrs. D. F. Maxwell



**L. N. ROBERSON CO.**

1540 East 102nd Street

Vermont 1189

Seattle 55, Washington

## GREETINGS, CUSTOMERS!

OUR NURSERY offers the following as a means of letting the public know what type of plants we raise. Many names are omitted for lack of space but we will always be glad to have you write or call about other species which we may have in small quantities.

Visitors are always welcome but our small staff makes it impossible for someone to be available at all hours, so we suggest, for your convenience as well as ours, that you telephone first when planning a visit to us, especially when coming from any great distance. Closing time—4:30 P. M.; open Sundays by appointment only.

Mail orders are given prompt attention although shipping is limited to once or twice a week. Packing for shipment is gratis but PARCEL POST or EXPRESS charges are to be paid by the customer as is the RETAIL SALES TAX for Washington customers and these amounts should be included in your check or money order. No mail order under \$2.00, please!

We attempt to name plants correctly but no guarantee is expressed or implied. Growing conditions affect plants so much that they may look entirely different in your garden than they did in the nursery. They leave us in good condition and should do well if properly grown. The very fact that our supply of a certain size or type of plant may be exhausted before the season passes makes it impossible to assure mail order customers that we can meet all demands so it is always advisable to state whether you wish a substitution or a refund in case we cannot fill the order as sent.

In order to give the most information possible in the least space, each plant name is followed by the color of the flower, ultimate height or height of blossom—whichever applies, and approximate time of flowering. All plants with the exception of "rooted cuttings" are ready to set out into the garden although different groups may vary in maturity. A dwarf shrub is comparatively young and small at three to five years while an herbaceous perennial should be divided and reset that often.







## Rock Plants

A good rock garden demands special attention to the soil when planting. Sandy loam, peat moss and well rotted manure in equal portions provide a good base soil for general use. Plants with special requirements may have other ingredients added.

Be sure no air pockets are left when working with the soil, either when the rocks are set or when plants are put in. The plant roots should be firmed well at the time of transplanting and after any freezing weather which might cause them to be heaved from the ground. Such plants as dianthus and saxifrage profit from having the dead blossoms removed after flowering unless seed is desired.

AETHIONEMA GRANDIFLORUM—glowing pink fls., 2'.....	\$ .50
AJUGA METALLICA CRISPA—blue, 3", summer.....	.35
ALYSSUM SAXATILE—yellow, 10", April.....	.25
ANDROMEDA POLIFOLIA MONTANA—pink, 8", April.....	1.00
ANEMONE NEMEROSA ALLENI—lavender blue, 8", April.....	.50
A. N. ROBINSONIANA—blue, 8", April.....	.50
A. PULSATILLA—lavendar, 6" to 12", March.....	.35
A. P. ALBA—white, 10", March.....	.50
A. P. RUBRA—reddish purple, 8", March.....	.50
A. SYLVESTRIS—pure white, 10", May.....	.50
AQUILEGIA ALPINA—blue, 12", May.....	.35
A. FLABELLATA NANA ALBA—white, 6", April.....	.50
ARABIS—evergreen—white, 6", April.....	.25
A. ALPINA—white, 4", March.....	.25
A. A. FLORE PLENO—double white, 10", April.....	.25
A. A. ROSEA—mauve, 4", March.....	.25



*Dianthus Annie Laurie*

ARCTERICA NANA—white, 3", Spring.....	1.00
ARMERIA CAESPITOSA—pink, 3", May.....	.50
A. MARITIMA—deep rose, 8", May.....	.25
ARTEMISIA SCHMIDTIANA NANA—silver foliage, 4".....	.50
ASTILBE CHINENSIS PUMILA—rose, 8", May.....	.50
AUBRIETIA CARNIVAL, CRIMSON KING, GRAECA.....	.50
AUBRIETIA—mixed colors, 4", March.....	.25
AUCUBA JAPONICA—large shiny leaves, tall growing.....	.50
BELLIS PERENNIS—pink, 6", long season.....	.25
B. P. DRESDEN CHINA—miniature, pink, 3", May.....	.25
B. P. KELWAY'S DOUBLE CRIMSON—quilled red, 6", May.....	.25
BUXUS SUFFRUTICOSUS—English Box, 12".....	35c and 1.00
CAMPANULA NITIDA ALBA—white, 10", June.....	.25
C. PORSCHARSKYANA—ashy blue, 6", May.....	.25
C. PUSILLA—lavender blue, 4", May.....	.25
C. RADDEANA—deep violet, 12", May.....	.25
C. ROTUNDIFOLIA NANA—blue, 6", May.....	.25
CERATOSTIGMA PLUMBAGINOIDES—blue, 8", August.....	.25
CERASTIUM TOMENTOSUM—white, 8", July.....	.25
CHRYSANTHEMUM AMELIA—pink, 18", August.....	.50
C. GLORYMUM—yellow with red tips, 18", July.....	.50
CISTUS LAURIFOLIUS—white, 3', July.....	.75

*Dianthus Graniticus*



COTONEASTER ADPRESSA—deciduous, spreading.....	1.50
C. HENRYI—upright, 8', very large growing.....	1.00
C. HORIZONTALIS—deciduous, bright red berries.....	.50
C. HUMIFUSA RADICANS—flat to the ground, evergreen.....	.50
C. MICROPHYLLA GLACIALIS—evergreen, 12".....	1.00
C. TIBETICUS—gray-green foliage, 4'.....	1.00
DIANTHUS ANNIE LAURIE—pink, 6", June.....	.35
D. BARBARTUS—midget Sweet William, 8", Summer.....	.35
D. CAESIUS—small pink flowers, 4", June.....	.50
D. CARYOPHYLLUS—Carnation—pink, 10", Summer.....	.35
D. CARYOPHYLLUS—Carnation—yellow, 14", Summer.....	.35
D. COCCINEUS—bright red, creeping, June.....	.35
D. GRANITICUS—deep pink, small flowers, 6", June.....	.35
D. LITTLE JOE—rosy red, 10", Summer.....	.50
D. PLUMARIUS—Cinnamon Pinks—pink, 10", June.....	.35
D. P. ELINOR—rosy red with dark eye, 12", Summer.....	.35
D. STERNBERGI—white with fringed petals, 8", August.....	.35
DOUGLASIA LAEVIGATA OLYMPICA—rose, 3", April.....	.50
D. VITALIANA—citron yellow, 3", May.....	.75
DRABA OLYMPICA—mustard yellow, 4", May.....	.50
DRYAS SUNDERMANNI—white anemone-like flowers, 6".....	.50
ERYSIMUM PULCHELLUM—sulphur yellow, 6", April.....	.25
ESCALLONIA APPLE BLOSSOM—pink, 6', July.....	1.50
E. RUBRUM—garnet, 4', July, sprawling habit.....	1.50
GAULTHERIA HISPIDA—decumbent.....	.75
GENTIANA ACAULIS—rich blue, 3", early spring.....	1.00
G. EXCISA—brilliant blue, 3", early spring.....	1.00
G. PURDOMI—clear blue, 6", Summer.....	.75
GERANIUM SANGUINEUM—magenta, creeping, July.....	.25
G. S. ALBUM—white, creeping, July.....	.25
G. S. LANCASTRIENSE—pink, creeping, July.....	.50
GEUM BORISI—vivid orange, 18", August.....	.50
GLOBULARIA CORDIFOLIA—steel blue, 3", June.....	.50
GORMANIA LAXA—fleshy leaves, similar to sedums.....	.25
GYPSOPHILA REPENS ROSEA—pink, 3", Summer.....	.50
HEDERA HELIX—Small Leaved Ivy.....	.25
H. H. CONGLOMERATA—slow growing creeper.....	.75
H. H. C. ERECTA—Tree Ivy—2 to 3'.....	.50
HELIANTHEMUM VULGARE—Rock Rose, 8", Summer.....	.50
Apricot, Yellow, Pink, Peach Blossom, Ben Ledi (red), Wendell's Rose, Brunette (burnt orange), Ben Nevis (yellow and orange) and double yellow.	
HELLEBORUS ORIENTALE—seedlings—white to maroon.....	.75
HEPATICA TRIOBA—white to light blue, 3", January.....	.25
HEUCHERA SANGUINEA—Coral Bells, 14", May.....	.35
HYPERICUM BALEARICUM—crinkled leaves, 12".....	.35
IBERIS SEMPERVIRENS—white, 10", May.....	.50
ILEX CRENATA—small leaved holly, purple berries.....	25c and .75
INCARVILLEA DELAVAYI—deep pink, 2', July.....	.50
IRIS LACUSTRIS—lavendar, 6", April.....	.25



*Penstemon Rupicola*


I. PUMILA JEAN SIRET—yellow, 8", May .....	.50
I. P. PAPOOSE—tan blend, 8", May .....	.50
I. TECTORUM—blue, 14", May .....	.50
I. TENAX—purple, 10", May .....	.25
LAVENDULA ATROPURPUREA NANA—French lavender .....	.50
L. STOECHAS—purple, 2', June .....	.50
LEDUM PALUSTRE—pink, 18", May .....	.75
LEWISIA COLUMBIANA—pink, 6", May .....	.50
L. C. ROSEA—deep rose, 6", May .....	.50
L. FINCHII—apricot, 8", May .....	.50
LITHOSPERMUM PROSTRATUM—gentian blue, 3", May .....	.50
LYCHNIS ALPINA—pink, 4", June .....	.25
MAHONIA AQUIFOLIUM—yellow, 4', April .....	1.25
NEPETA MUSSINI—lavendar, 12', July .....	.25
N. M. SIX HILLS—taller, more robust .....	.25
N. M. SUPERBA—prostrate .....	.25
OMPHALODES VERNA—Creeping Forget-me-not, April .....	.35
PENSTEMON RUPICOLA—red, 6", May, gray leaves .....	.50
P. R. ALBA—similar with white flowers .....	.50
P. R. ROSEA—flowers very light pink .....	.50
P. SALMON LA SAC—deep rose, 12", May .....	.75
P. SCOULERI—purple, 10", June .....	.75
PHLOX SUBULATA ALBA, APPLE BLOSSOM, ATROPURPUREA, BLUE HILLS, CAMLENSIS, pink, SPRITE, lavender .....	.25
PIERIS FLORIBUNDA—creamy white, 3', February .....	.50
POTENTILLA CINERA—bright yellow, 1", Spring .....	.50
P. COCCINEA—ruby red, trailing, May .....	.50
P. FRUCTICOSA MONTANA—yellow, 3", May .....	.75
PULMONARIA SACCHARATA—blue, 4", April .....	.35
P. S. MRS. MOON—pink, 8", April, spotted leaves .....	.50
P. LUTEA—sulphur yellow, 8", April, spotted leaves .....	.50
RANUNCULUS MONTANUS—butter yellow, 3", May .....	.35



ROSES—Pink Midget, Oakington Ruby, Rouletti, Elf (white to pink) .....	35c, 50c and	.75
SAXIFRAGA AEIZOON—white, 10", April .....		.25
S. AEIZOON ROSEA—rosy pink, 10", April .....		.25
S. LINGULATA—white, 15", May .....		.25
S. MARGINATA—white, 4", May .....		.25
S. MEGASEA CORDIFOLIA—pink, 18", March .....		.50
S. MEGASEA CRASSIFOLIA—cherry red, 12", March .....		.50
S. UMBROSA NANA—pink, 4", Spring .....		.25
SANGUINARIA CANADENSIS—Bloodroot—white, March .....		.25
SAPONARIA OCCYMOIDES—bright pink, trailing, May .....		.50
SCABIOSA GRAMINEAFOLIA—pale blue, 1', June .....		.50
SEDUM ALBUM, MURALE, SPATHULIFOLIUM, SPATHULIFOLIUM ATROPURPUREUM, SIEBOLDI WATSONI, REFLEXUM, REFLEXUM CRISTATUM .....		.25
SEMPERVIVUM ARACHNOIDEUM—Spiderweb Hen and Chick .....		.25
SENECIO CINERARIA—Dusty Miller—gray foliage .....		.25
SILENE SCHAFTA—rosy pink, 6", Autumn .....		.25
SISYRINCHIUM BELLUM—Blue Eyed Grass—8", May .....		.35
SPIREA BULLATA—deep rose, 15", July .....		.50
SPRAGUEA MULTICEPS—white to pink, low, May .....		.35
SYNTHYRIS RENIFORMIS—dark blue, 6", March .....		.50
VERONICA CUPRESSOIDES NANA—bright green shrub .....		1.00
V. HECTORI—wiry branches, inconspicuous flowers .....		1.00
V. GUTHERIANA—blue, 8", Summer .....		.50
V. RUPESTRIS—bright blue, trailing, Summer .....		.35
V. RUPESTRIS NANA—lighter blue, 3", June .....		.50
V. RUPESTRIS ROSEA—lavendar pink, 3", June .....		.50
VIOLA ODORATA ROSINA—old rose, 4", April .....		.35
V. ODORATA THE CZAR—white, 4", April .....		.35

*Saxifrages in a Rock Garden (top)*





Showing the distinction between the two most common heaths.  
*Erica* on the left with small needles and *Calluna*  
on the right with overlapping bracts.

## Heathers

Year round color of flower and foliage are offered by the heaths. The soil for them should abound in peat moss; may be neutral or slightly acid; and, should contain plenty of well rotted manure. Prune heathers after flowering to keep plants low and compact.

BRUCKENTHALIA SPICULIFOLIA—pink, 8", June .....	50c and \$ .75
CALLUNA VULGARIS ALBA—white, 15", Summer.....	.50
C. V. ALPORTI—red purple, 18", August .....	.50
C. V. COUNTY WICKLOW—double pink, 10", August .....	50c and .75
C. V. FLORE PLENO—double lavender, 15", July.....	.50
C. V. FOXI NANA—pink, 4", Summer.....	50c and 1.00
C. V. MRS. H. E. BEALE—double pink, 20", August.....	.50
C. V. MRS. J. H. HAMILTON—double rose, 8", September.....	.50
C. V. MCKAYI—pale lavender, 8", June .....	50c and .75
C. V. MINIMA—lavender, 6", Summer.....	50c and .75
C. V. M. SMITH'S VAR.—lavender, 6", Summer .....	50c and .75

*Erica Mediterranean Hybrid*





C. V. NANA—lavendar, 4", Summer.....	50c and	.75
C. V. PYGMAEA—lavendar, 8", Summer .....	50c and	.75
C. V. VARIEGATA—pink, 15", Summer.....	50c and	.65
DABOECIA POLIFOLIA—purple, 15", July.....	50c, 65c and	1.00
ERICA ARBOREA ALPINA—white, 4', September.....	50c and	1.50
E. CARNEA—rosy purple, prostrate, winter.....		1.00
E. C. KING GEORGE—rose, December.....	50c and	.75
E. C. SPRINGWOOD PINK—heavy bloomer.....		.50
E. C. SPRINGWOOD WHITE—January .....		.50
E. C. VIVELLI—crimson, bronze foliage, January.....	50c and	.75
E. CILIARIS—rose, 10", uly.....	50c and	.65
E. CINEREA—reddish purple, 15", August.....		.50
E. C. ALBA—white, 15", August.....	50c and	1.00
E. C. DOMINO—white, 9", August.....	50c and	1.00
E. C. G. FORD—garnet, 10", July .....		.50
E. C. GOLDEN DROP—yellow tips to foliage .....	50c and	.75
E. C. RUBRUM—brilliant scarlet, 6", July .....	50c and	.75
E. DAWN—large soft pink flowers, 10", Summer.....	50c and	.75
E. HYBRIDA WATSONI—rusty red, 12", August .....	50c and	.75
E. MACKIANA—frosted pink, 8", July.....		.50
E. MCKAYI FLORE PLENO—double pink, 10", June.....		.50
E. MEDITERRANEAN HYBRID—rosy lavendar, 12", January.....		.50
E. STRICTA—deep rose, 4-5', August.....	50c and	.75
E. TETRALIX—soft pink, 12", June .....	50c and	.65
E. T. ALBA—white, 15", June.....		.50
E. T. MOLLIS—white tinged with pink, 12", May.....		.50
ERICA VAGANS—lilac, 15", August.....	50c and	1.00
E. V. ALBA—white, 15", August.....		.50
E. V. MRS. D. F. MAXWELL—bright rose, 15".....	50c and	.75
E. V. ST. KEVERNE—rose pink, 12", September .....	50c and	.75
E. WILLIAMSI—pink, 15", July.....	50c and	.75
E. WYCH—light pink, 18", June.....	50c and	.75
PHYLLODOCE EMPETRIFORMIS—rose red, 12", August.....		1.00



## ***Dwarf Brooms***

Brooms like sunny banks and crannies where the soil is not particularly rich. Their gay flowers brighten the scene in late spring and early summer.

CYTISUS DECUMBENS—bright yellow, prostrate, June.....	\$2.00
C. PURPUREUS—purple mauve, 18", May.....	50c and 1.00
GENISTA HORRIDA—yellow, 10", Summer.....	\$1.00 and 1.50
G. RADIATA—bright yellow, 2', Summer.....	.50
G. SAGITTALIS—butter yellow, procumbent, July.....	.75

# Rhododendrons and Azaleas

Acid soil and plenty of water in late summer during the growing season will help to keep these choice shrubs in good health. To acidify neutral or alkaline soil use a pound of sulphur to 100 sq. ft. Dwarf rhododendrons and azaleas are particularly desirable for rock garden use since they are very slow growing.

AZALEA BALSAMINAEFLORA—double orange red, 8", May .....	\$ .50
A. FLAME CREEPER—single orange red, 4" .....	75c and 2.00
A. HINODEGIRI ALBA—white, 15", May .....	1.00
A. HINODEGIRI FLAME—orange, 15", June .....	.75
A. HINODEGIRI PINKIE—light pink, 12", June .....	.75
A. POUHKENENSIS—purple, 20", June .....	50c and 1.00
A. SCHLIPPENBACHI—shell pink, 4', June .....	5.00
RHODODENDRON DAPHNOIDES—rose, 2', May .....	75c and 2.50
R. FASTIGIATUM—light purple, 2', April .....	75c and 2.50
R. FERRUGINEUM—Alpine Rose—carmine, 1' .....	2.00
R. HIRSUTUM—rose, 2', May .....	2.50
R. IMPEANUM—lavendar, 10", April .....	.75
R. IMPEDITUM—mauve, 15", April, gray leaves .....	2.50
R. MUCRONULATUM—rosy lavendar, 3', February .....	5.00
R. RACEMOSUM—clear pink, 4', April .....	.75
R. RUBIGINOSUM—mauve, spotted brown .....	.75

*Azalea Hinodegiri Alba*






*Rhododendron Racemosum*

## Camellias

AKEBONO—rose, semi-double .....	\$ .75, \$2.50 and \$7.50
BELLE ROMANO—striped red and white .....	75c, \$2.50 and 7.50
FANNY BOLLIS—red and white .....	7.50
JARVIS RED—tufted center .....	75c and 2.50
JORDAN'S PRIDE—pink edged with white .....	75c and 7.50
LITTLE CHEERFUL—red .....	.75
PURITY—very formal white .....	.75
SASANQUA ALBA—single, white .....	.75
SASANQUA ROSEA—Briar Rose .....	.75
SNYDER WHITE—similar to PURITY .....	.75
THEA SINENSIS—Tea Plant .....	.75
WAKANOURA—red .....	7.50

*Double Camellia*



# Conifers

Sun and moist sandy soil suit the dwarf spruce (*Picea*) and juniper best while the majority of the other conifers in this list prefer richer soils, more moisture, and as much sun. There are suitable forms for every location in the rock garden and, if you have never used these low growing shrubs, you have missed an opportunity for interest and accent.

NOTE: Colors in descriptions refer to foliage rather than flowers.

ABIES LASIOCARPA—narrowly conical tree.....	\$3.50
A. NOBILIS—thin, soft foliage; symmetrical.....	3.50
A. PINSAPO GLAUCA—stiff, very slow growing .....	5.00
CHAMAECYPARIS LAWSONIANA FLETCHERI—gray, 6'.....	2.00
C. L. MINIMA—18", broadly conical.....	2.00
C. L. NANA—globose, blue green foliage.....	2.00
C. L. PISIFERA FILIFERA NANA—12", light green.....	1.50
C. OBTUSA NANA—dwarf Hinoki cypress .....	2.00
C. PISIFERA DUMOSA—12", silvery green.....	2.00
CRYPTOMERIA JAPONICA NANA—10", bronze in winter .....	1.50
JUNIPERUS MONTANA—gray foliage, creeping .....	35c and 1.00
J. COMMUNIS COMPRESSA—18", columnar, gray .....	25c and 4.00
J. VARIEGATA—golden and green foliage .....	.75
PICEA ABIES CAPITATA—12", rounded contour.....	2.50
P. A. CLANBRASILIANA—18", dome shaped, dense .....	1.00

*Left to right — Cryptomeria Japonica Nana, Juniperus Communis Compressa and Picea Abies Pumila. Foreground—Selaginella.*






*Picea Abies Conica*

P. A. CONCICA—pyramidal, attains 2'.....	2.50
P. A. NIDIFORMIS—close growing branches.....	2.50
P. A. PUMILA—9", depressed top, globular.....	2.50
P. A. REPENS—12", more open in habit.....	2.00
P. ORIENTALIS—slow growing tree, pyramidal.....	6.00
TAXUS CUSPIDATA AUREA—new needles golden.....	1.25
T. C. NANA—2', spreading branches.....	\$1.00 and 4.50
T. REPANDENS—graceful, large spread.....	1.25

*Picea Abies Clanbrasiliana (in foreground)*





*Fuchsia Display*

## ***Fuchias***

35c and 75c

BABY BUNTING  
COVENT GARDEN  
DISPLAY  
ELSA  
GIANT CASCADE  
THE DOCTOR

KATY O'DAY  
MACROSTIMMA ALBA  
OLD DEL MONTE  
ROLLO  
MRS. RUNDLE  
PINK PEARL

RICCARTONI

## ***Herbs***

CATNIP, CHIVES, PEPPERMINT, APPLEMIN, PARSLEY or THYME \$ .25  
ROSEMARY, OLD MAN, or SAGE ..... .50

## ***Primroses***

While rich loam and partial shade are considered prime requisites for fine primroses yet you find them flowering beautifully under many other conditions. Primroses begin to flower in earliest spring with the polyantha and acaulis varieties and continue for several months.





*Primula Polyantha*

PRIMULA ACAULIS—mixed colors, 6", March .....	\$ .35
P. ACAULIS BLUE—very low, March .....	.50
P. ACAULIS DOUBLE WHITE .....	1.00
P. AURICULA—mixed colors, 8", May, smooth leaves .....	.50
P. AURICULA YELLOW .....	.75
P. CASHMERIANA—pale purple, 10", April .....	.50
P. DOROTHY—soft creamy yellow, 6", April .....	.75
P. HELENAE—burgundy red, creeping, April .....	.50
P. JULIANA ROSEA—orchid, 4", April .....	.75
P. POLYANTHA—mixed colors, 8", March .....	.35
P. RAE—claret, 3", April .....	.50
P. ROSEA GRANDIFLORA—rose pink, 9", May .....	.75
P. WANDA—deep purple, 6", April .....	.50

*Primula Cashmeriana*





*Aquilegia Chrysantha*

## Perennials

Few plants require less attention for the return given than the tall perennials which are used in borders and beds for summer color and which provide such quantities of cut flowers if well fertilized. Most of them prefer a sunny location.

AGROSTEMMA FLOS JOVIS—bright pink flowers, woolly leaves ...	\$ .25
ANTHEMIS TINCTORIA—bright yellow daisies, 3', July.....	.25
AQUILEGIA CHRYSANTHA—light yellow, 2', June.....	.25
A. CRIMSON STAR—striking red and yellow, 2', July.....	.25
A. LONGISSIMA—yellow, extra long spurred, 4', July.....	.25
A. SCOTT ELLIOTT HYBRIDS—pastel shades, 3', July.....	.25
ARTEMISIA LACTIFLORA—creamy white, 4', August.....	.25
A. SILVER KING—silvery foliage, 3'.....	.25
ASTILBE CHINENSIS—pink or white, 18", June.....	.50
CAMPANULA GLOMERATA—deep blue, 18", Summer.....	.25
CENTAUREA CYANEA—Perennial Bachelor Button .....	.25
CHELONE TORREYI—scarlet, 20", Summer.....	.25
COREOPSIS GRANDIFLORA—bright yellow, 2', Summer.....	.25
CORYDALIS CHEILANTHIFOLIA—fernny foliage, creamy flowers...	.35
C. LUTEA—bright yellow, 8", likes moisture.....	.25
DELPHINIUM CLIVEDEN BEAUTY—light blue, 5'.....	.25
FOXGLOVE—Sutton's Apricot—6', Summer.....	.50
FUNKIA LANCEOLATA—lavendar, 2', late Summer.....	25c and 1.00
GAILLARDIA GOBLIN—red and yellow, 10", Summer.....	.35
GERANIUM MACULATUM—orchid, 18", June.....	.25
GYPSOPHILA PANICULATA—Baby's Breath—white, 4'.....	.25
HELIANTHUS HIRSUTUS—yellow with brown center, 5'.....	.25
IRIS PSEUDACORUS—yellow, 3', July.....	.25

I. SIBIRICA—blue, 3', May.....	25c and 1.00
I. SPECIE—white, 5', August.....	.50
LINUM PERENNE—clear blue, 2', Summer.....	.35
LYCHNIS CHALCEDONICA—brick red, 3', June.....	.35
L. VISCARIA SPLENDENS FLORE PLENO—rosy red, 18".....	.35
OENOTHERA SULPHUREA ODORA—Evening Primrose—3'.....	.25
PAPAVER NUDICAULE—deep apricot, 18", Summer.....	.25
P. ORIENTALE—scarlet, 18", July.....	.50
PHLOX DECUSSATA—Africa (red), Lillian (soft pink), Spatrot (salmon), lavender, low early pink, late tall pink, white.....	.35
PODOPHYLLUM PELTATUM—May Apple—white, 15", May.....	.50
POLEMONIUM CAERULEA—blue, yellow, eye, 12", June.....	.35
PYRETHRUM ROSEUM—mixed colors, 2', May.....	.35
Phyllis (pink), Patricia (pink), Purity.....	.50
STOKESIA LAEVIS—blue, 12", Summer.....	.50

*Delphinium Cliveden Beauty*



# Perennial Asters

*Excellent for color in summer and early fall*

25c each

## DWARF

DAPHNE—soft pink  
COUNTESS OF DUDLEY—pink  
MARJORIE—bright rose  
NANCY—lavendar pink  
TIBETICUS—lavendar


## TALL

BARR'S PINK—deep rose  
ERECOIDES—tiny white flowers  
LUTEUS—small yellow flowers

50c each

HARRINGTON'S PINK—3'  
MRS. FRANCES CHILDERS—carmine rose, 4'  
FR!KARTI—blue, very long season, 2'

*Formal Garden using Dwarf Box (Buxus Suffruticosus)*





*Cypripedium Spectabile*

## Ladyslippers

The Ladyslippers are woodland denizens requiring leaf mold and chopped fern root to make them happy. A small amount of heat in the greenhouse will force them into bloom in March or they may be planted outside and left alone for later flowering. Their natural enemies are field mice, quail and pheasants from which a screen basket will offer some protection.

CYPRIPEDIUM ACAULE — rose .....	.35
C. PUBESCENS — yellow and brown .....	.35
C. SPECTABILE — pink and white .....	.35

## Miscellaneous

ASARUM CAUDATUM—Wild Ginger—Collected plants .....	\$ .25
FELICIA ROTUNDIFOLIA—Agathea—tender plant for rock garden or border—sky blue fls. ....	.25
FRAGARIA ALPINA—Alpine Strawberry .....	.25
F. VESTUCA ALBA—white strawberry .....	.25
PYRACANTHA COCCINEA—Firethorn .....	.50
ROCK FERNS—sun loving and low growing .....	.25





*Trillium*

## **Bulbs**

Small bulbs grouped throughout the rock garden or shrub border heighten the gaiety and color there in early spring. These should be moved when dormant.

	<i>Each</i>	<i>Per Doz.</i>
ALLIUM ACUMINATUM — Wild Onion.....	\$0.10	\$0.75
ARISOEMA TRIPHYLLUM — Jack-in-pulpit .....	.25	2.50
BRODIAEA LAXA — blue .....	.10	.75
CROCUS — purple, white and yellow mixed.....	.10	.75
ERYTHRONIUM — Dog-tooth Violet, Deer Tongue, or Avalanche Lily .....	.15	1.00
(Fall delivery only)		
MUSCARI BOTRYOIDES — Grape Hyacinth.....	.10	.75
DICENTRA CUCULLARIA — Dutchman's Breeches.....	.20	2.00



## **Seeds**

Seeds are not our specialty but some of our own are gathered and some collecting in the wild is done. We will be glad to receive your requests.



# Creepers and Ground Covers

Many banks and narrow strips of ground which are unsatisfactory when planted in lawn become a source of great pleasure when planted with one or more of these low spreading plants. Requirements differ according to the plant. Those which are happy around and under ericaceous plants such as rhododendrons and azaleas are marked with an asterisk.

		per Flat
ACAENA MICROPHYLLA—fine leaves, crimson in Autumn	\$ .25	\$2.50
AJUGA GENEVENSIS—blue flowers, green leaves, Spring	.25	2.50
A. REPTANS RUBRA—purple flowers, bronzy leaves, Spring	.25	2.50
*ARCTOSTAPHYLOS UVA-URSI—Kinnikinnick	.25	
BELLUM MINUTUM—miniature white to pink daisies	.25	2.50
COTULA SQUALIDA—fernny foliage, likes shade	.25	2.50
*EPIMEDIUM LILACINA—lavendar, 8", shade loving	.50	
*E. MACRANTHUM ROSEUM—rosy pink, 12", shade	.50	
*E. NIVEUM—white, 8", shade	.50	
*E. SULPHUREUM—pale yellow, 15", shade	.50	
ISOTOMA FLUVIATILE—tiny white stars, blue striped	.25	2.50
EUONYMOUS RADICANS MINIMA—trailing		.50
LOTUS CORNICULATUS—yellow, pea shaped flowers	.25	
MENTHA REQUIENI—matted leaves, giving off mint odor	.25	2.50
NIEREMBERGIA RIVULARIS—white cups, Spring	.25	2.50
*POLYGONUM VACCINAEFOLIUM—spikes of pink, August	.25	
SAGINA SUBULATA—white starts, mossy, Summer	.25	2.50
SEDUM ACRE—bright yellow, Summer	.25	2.50
THYMUS SERPYLLUM—Creeping Thyme—white, red, lavendar and woolly	.25	2.50
*VANCOUVERIA HEXANDRA—creamy flowers, 8", April	.50	
*VACCINEUM VITIS-IDAE—shell pink, 6", Spring, 50c and \$1.00		
VINCA MINOR—Myrtle—blue, white or red purple	.25	2.50

Creeping Thyme




# Water Plants

A well planned pool will not only have water lilies, whose flowering season is short, but will contain bog and other water plants to lengthen the season of bloom and will also have some submerged oxygenating plants for the fish. Snails are good scavengers and will complete the balance of the water garden.

AZOLLA—Water Fern—per portion.....	\$0.10
ANACHARIS—Elodea—Fish Greens—per bunch.....	.25
BOGBEAN—large trifoliate lvs.....	.25
CATTAIL—6 ft., usurps all space available.....	.25
IRIS PSEUDACORUS—yellow, 3 ft., July.....	.25
I. VERSICOLOR—blue, 2 ft., July .....	.25
MYRIOPHYLLUM—Fish Greens—per bunch .....	.25
POTAMOGETON—Pondweed—submerged oxygenator .....	.25
SAGITTARIA LANCIFOLIA—white, 2 ft., May.....	.25
S. NATANS—submerged, 6'' .....	.25
S. SAGITTAEFOLIA—true Arrowhead, 2 ft., white.....	.25
WATER FORGET ME NOT—blue, 6'', all summer.....	.25
WATER HYACINTH—floating, lavender, not hardy, do not order before May 1 .....	.15 and .25
WATER POPPY—butter yellow, surface, May.....	.25
WATER LILIES—supply varies with the season—write for prices if interested.	
SNAILS—several varieties .....	.02
Trapdoor .....	.10
Occasionally are not available in the season when they are propagating.	

## Pool and Rockery





*A, Ramshorn Snails; B, Shell of Trapdoor Snail; C, Pondsnaails; Fishgreens; D, Myriophyllum; E, Anacharis; F, Nitella.*



*Mahonia aquifolium*